previous hurricanes and, in fact, with those observed in the vailing wind for the month was southeast. Rain fell on 13 days, the maxipresent hurricane as soon as it left Cuba. The northward' path from Cuba into Florida and along the south Atlantic coast presents another illustration of the ease with which the hurricane develops on the ocean or the immediate coast and the difficulty with which it penetrates the interior of the continent. The present whirl appears to have grown in size very slowly and also to have moved quite slowly during its whole path not only in the West Indies, but also after reaching the south Atlantic States. On the 30th, noon, it was southeast of New Jersey, and the rest of its career belongs to October.

H. This was a continuation of low No. XIII that was central in the upper Lake region on the 22d and passed over Labrador on the 24th; it disappeared on the 25th south of Greenland.

I and K. A depression (I) appeared on the 23d central about N. 38°, W. 22°; it moved northward, reaching N. 47° W. 23°, on the 25th, while a similar small depression (K) stretched southward from this region and another, above described as E, moved to the eastward over the British Channel. The whirl, K, soon broke up, and I disappeared on the 27th without much further movement.

normal for september, 1894. The temperature of the air, maximum, 91, on the 20th; minimum, 71.0, on the 10th, 16th, and 29th. Rainfall on 18 days, the maximum being 3.21 on the 11th. The prevailing wind was northeast.

L. This appeared on the 27th central at N. 50°, W. 40°; it is not likely to have been a continuation of area H, although it was very nearly in the same place, but is rather an evidence of the extremely unstable condition of the atmosphere at this time and of the ease with which the great flow of upper of the regions within which icebergs or field ice were reported currents from the tropics initiate short-lived whirls and barometric depressions on the edges of regions of high pressure. By the 28th area L had divided into two portions, respectively central at N. 48°, W. 52°, and N. 38°, W. 58°, but the whole of this portion of the atmosphere was in that state of motion known as turbulent flow in the hydraulics of rivers, and the alternations were very rapid from horizontal to ascending or descending motion and from high to low pressures and from rectilinear to whirling motions. By the 28th three or four whirls had formed between the hurricane on our south Atlantic coast and the high area over the North Sea. On the 30th the center was at about N. 50°, W. 27°, and hurricane winds were reported by the Lackawanna and Fonar.

M. This area was central on the 29th over Newfoundland at N. 49°, W. 55°. By the 30th it had moved southeast as a severe hurricane to N. 48°, W. 44°. Reports of low pressures and high winds in connection with this storm were received from the Iona and Hecla on the 30th. The map of the latter date presents six low areas between the Ural and the Rocky mountains and between N. 35° and N. 55°, and it must be for which ice has not been reported south of the fiftieth parreserved for the first few days of October to show how the allel, and that the eastern limit of ice for the current month upper current, overflowing from tropical latitudes, was drawn is about  $1\frac{1}{2}$ ° east of the average eastern limit for September. off in different directions, or tapped, as it were, to supply first one and then another of these whirls until finally some subsided while others continued developing as severe storms.

## OBSERVATIONS IN THE CARIBBEAN SEA.

The following summaries of observations made at British Colonial Hospitals may throw some light on the weather in the adjoining portions of the Caribbean Sea:

Balize, July, 1894. The barometric range reduced to sea level, maximum, 30.154, on the 4th; minimum, 29.965, on the 16th. The temperature of the sixty-fifth meridians, 5 more than the average; a humidity of the atmosphere varied between 99 and 83 per cent. The pre- | the sixty-fifth meridian, 3 more than the average.

mum being 3.18 on the 4th; total rainfall, 7.67, which is about 91 per cent of the normal for July.

Punta Gorda, July, 1894. The temperature of the air, maximum, 94, on 22d; minimum, 69.0, on the 9th. The prevailing wind was northeast. Rainfall on 15 days, the maximum being 5.50 on the 28th; total rainfall, 19.52.

Balize, August, 1894. The barometric range reduced to sea level, maximum, 30.127, on the 10th; minimum, 29.925, on the 26th. The temperature of the air, maximum, 90.9, on the 23d; minimum, 74.1, on the 21st. The relative humidity of the atmosphere varied between 95 and 88 per cent. vailing wind was southeast. Rainfall on 11 days, the maximum being 1.31 on the

Punta Gorda, August, 1894. The temperature of the normal for August, on the 30th; minimum, 70.0, on the 31st. Rainfall on every day of the month, the maximum being 4.28 on the 8th; total rainfall, 26.89. The pre-

vailing wind was northeast.

Balize, September, 1894. The barometric range reduced to sea level, maximum, 30.073, on the 13th; minimum, 20.811, on the 28th. The temperature of the air, maximum, 94, on the 26th; minimum, 70.0, on the 5th. The relative humidity of the atmosphere varied between 98 and 79 per cent. The prevailing wind was southeast. Rainfall on 10 days, the maximum being 2.67 on the 26th; total rainfall, 5.16, which is about 50 per cent of the normal for September.

#### OCEAN ICE.

The positions of icebergs and field ice reported for September, 1894, are shown on Chart I by crosses.

The following table shows the southern and eastern limits for this month during the last twelve years:

Southern	ı limit.		Eastern limit.									
Month.	Lat. N.	Long. W.	Month.	Lat. N.	Long. W.							
					0 /							
September, 1883	43 25	47 10	September, 1883	49 OT	44 33							
September, 1884	45 06	53 21	September, 1884	47 39	49 14							
September, 1885	45 40	48 22	September, 1885	48 40	46 27							
September, 1886	46 40	53 00	September, 1886	48 00	48 40							
September, 1887	45 37	i_ 40 50 i	September, 1887	45 37	40 50							
September, 1888	. Off Cape		September, 1888	53 00	52 09							
September, 1889	. 4521	4Ŝ 22 '	September, 1889	48 50	46 48							
September, 1890 *	<ul> <li>45 3°</li> </ul>	48 00 ;	September, 1890	50 30	46 22							
September, 1891	. Straits of	Belle Isle	September, 1891	53.18	51 20							
September, 1892				52 01	54 55							
September, 1893	·: 44 27	48 29	September, 1893		45 20							
September, 1894	44 00	46 45	September, 1894	4S 34	46 IS							
M⊷an	45 52	48 15	Mean	49 21	47 44							

 $^{\bullet}$  On the 4th a large lump of ice too feet long and 6 feet above water was reported in N. 360 49′, W. 420 18′; this is the lowest latitude in which ice was ever reported in the North Atlantic Ocean.

A reference to the table will show that in the last twelve years there have been but two Septembers (1891 and 1892)

## OCEAN FOG.

The limits of fog belts west of the fortieth meridian, as reported by shipmasters, are shown on Chart I by dotted shading. Near the Banks of Newfoundland fog was reported on 15 dates; between the fifty-fifth and sixty-fifth meridians on 11 dates; and west of the sixty-fifth meridian on 11 dates. Compared with the corresponding month of the last six years, the dates of occurrence of fog near the Grand Banks numbered 1 less than the average; between the fifty-fifth and sixty-fifth meridians, 5 more than the average; and west of

## TEMPERATURE OF THE AIR.

[In degrees Fahrenheit.]

The distribution of the monthly mean temperature of the irregular surface of the Rocky Mountain plateau, although air over the United States and Canada is shown by the dotted the temperatures have not been reduced to sea level, and the isotherms on Chart II; the lines are drawn over the high isotherms, therefore, relate to the average surface of the country occupied by our observers; such isotherms are con- on record at regular Weather Bureau stations, as shown in the trolled largely by the local topography, and should be drawn following table: and studied in connection with a contour map.

#### NORMAL TEMPERATURE.

In Table II, for voluntary observers, the mean temperature is given for each station, but in Table I, for the regular stations of the Weather Bureau, both the mean temperatures and the departures from the normal are given for the current month. In the latter table the stations are grouped by geographical districts, for each of which is given the average temperature and departure from the normal; the normal for any district or station may be found by adding the departures to the current average when the latter is below the normal and by subtracting when it is above.

#### MONTHLY MEAN TEMPERATURE.

For the regular stations of the Weather Bureau the monthly mean temperature is the simple mean of all the daily maxima and minima; for voluntary stations a variety of methods of computation is necessarily allowed, as shown by the notes

appended to Table II. During September, 1894, the highest mean temperatures at regular Weather Bureau stations were: Yuma, 83.3; Key West, 81.4; Corpus Christi, 81.0; Port Eads, 80.4; Jupiter, 80.2; New Orleans, 79.9; Tampa and San Antonio, 79.4; Titusville, 78.8; Jacksonville, 78.6; Charleston, 77.6; Savannah, 77.2.

DEPARTURES FROM NORMAL TEMPERATURE FOR SEPTEMBER, 1894.

As compared with the normal for September the mean temperatures for the current month were decidedly in excess in a belt extending from Minnesota southeast to Pennsylvania. The largest excesses were: Marquette, 6.3; Port Huron, 5.1; Rochester, 4.8; Parkersburg and Duluth, 4.4; Huron, 4.3. The principal region of deficit covered the Rocky Mountain plateau and the Pacific slope. The greatest deficits were: Walla Walla, 3.1; Salt Lake City, 2.9; Winnemucca and Helena, 2.6; Laramie, 3.6.

Considered by districts, the mean temperatures for the current month show the following departures from normal tem-

peratures:

Positive departures: New England, 2.4; middle Atlantic, 3.2; south Atlantic, 1.9; east Gulf, 1.3; west Gulf, 0.9; Ohio Valley and Tennessee, 3.5; lower Lakes, 4.0; upper Lakes, 3.8; North Dakota (extreme northwest), 1.6; upper Mississippi Valley, 2.9; Missouri Valley, 2.4; middle slope, 0.9;

southern slope (Abilene), 1.7; middle Pacific, 1.7.

Negative departures: Key West, 0.6; northern slope, 0.9; southern plateau, 0.4; middle plateau, 2.2; northern plateau, 2.0; north Pacific, 0.3; southern Pacific, 1.3.

For certain voluntary stations of rather long periods of observation the normal and extreme mean temperatures and the departures are shown in detail in Table  $\bar{X} a$ , which is now placed among the meteorological tables instead of being inserted in the text as heretofore.

YEARS OF HIGHEST MEAN TEMPERATURE FOR SEPTEMBER.

The mean temperature for September, 1894, was the highest on record at regular Weather Bureau stations, as shown in the following table, which also gives the highest previous record:

	Septeml	er, 1894.	Highest previous.			
Stations.	Mean tempera- ture.	Departure from normal.	Temper- ature.	Year.		
Raleigh, N. C	73.0 70.2	+2.8 +4.4	72.0 69.0	1891		

YEARS OF LOWEST MEAN TEMPERATURE FOR SEPTEMBER. The mean temperature for September, 1894, was the lowest

	Septemi	ber, 1894.	Lowest pro	evious.
Stations.	Mean tempera- ture.	Departure from normal.	Temper- ature.	Year.
Lander, Wyo	52-9	-3-9	53-6•	1889

#### MAXIMUM TEMPERATURE.

The maximum temperatures of the month at regular stations of the Weather Bureau are given in Table I, from which it appears that the highest maxima were: Yuma, 109; Oklahoma, 104; Fresno, 102; Red Bluff, St. Vincent, and Tucson, 100.

The lowest maxima were: Tatoosh Island, 65; Neah Bay, 69; Eureka, 71; Port Crescent, 72; Pysht, 73; Block Island,

76; Point Reyes Light, 76.

YEARS OF HIGHEST MAXIMUM TEMPERATURE FOR SEPTEMBER.

The maximum temperatures for September were the highest on record at regular Weather Bureau stations, as shown in the following table:

	Septemi	Highest previous,				
Stations.	Maximum.	Excess above previ- ous record.	Temper- ature.	Year.		
Olympia, Wash St. Vincent, Minn Moorhead, Minn Duluth, Minn Northfield, Vt Narragansett Pier, R. I Vineyard Haven, Mass St. Paul, Minn La Crosse, Wis Dubuque, Iowa Green Bay, Wis Milwaukee, Wis Grand Haven, Mich Port Huron, Mich Indianapolis, Ind Lexington, Ky Parkersburg, W. Va Cape Hatteras, N. C Raleigh, N. C Columbia, S. C.	98 94 85 79 84 94 95 93 94 92 95 92 96	++++++++++++++++++++++++++++++++++++++	\$5 94 96 85 77 82 94 93 94 92 94 94 95 96	1859 1889 1889 1891 1891 1891 1881 1881		

\* Frequently,

## MINIMUM TEMPERATURE.

The minimum temperatures of the month at regular stations of the Weather Bureau are given in Table I, from which it appears that the lowest minima were:

Idaho Falls and St. Vincent, 23; Williston, 24; Northfield, 25; Bismarck, Havre, and Winnemucca, 26; Valentine and

Lander, 27; Moorhead, 28.

Among the highest minima were: Key West, 71: Jupiter and Port Eads, 70; Galveston, 68; Corpus Christi, 67; New Orleans, 66.

YEARS OF LOWEST MINIMUM TEMPERATURE FOR SEPTEMBER.

The minimum temperatures for September were the lowest on record at regular Weather Bureau stations, as shown in the following table:

	Septemi	er, 1894.	Lowest pr	evious.
Stations.		Deficit be- low previ- ons record.	Temper- ature.	Year.
Carson City, Nev Yuma, Tex Northfield, Vt Erie, Pa	25	- 1 0 0	28 50 25 37	1889 1882 1888 1888

THE DAILY AND MONTHLY RANGES OF TEMPERATURE. The greatest daily range of temperature is given for each also gives data from which may be computed the extreme

monthly ranges for each station.

Greatest daily ranges.—Large values: Bismarck and Rapid City, 54; Pueblo, 50; Lander, 48; Dubuque and North Platte, 47; Huron, 46; Williston, 45. Small values: Hatteras, 12; Tatoosh Island and Kittyhawk, 16; Jupiter and Key West, 17; Port Eads, Galveston, and Titusville, 18; New Orleans, 19: Corpus Christi, 20.

Extreme monthly ranges.—Large values: St. Vincent, 77; Moorhead, 70; Bismarck, Pierre, and Valentine, 68; Huron, ing over Colorado and South Dakota on the 25th, 26th, and 64; Dubuque, 62; La Crosse, 61; Alpena, 60. Small values: Key West and Hatteras, 18; Jupiter, Galveston, and Tatoosh Island, 20; Port Eads, 22; Corpus Christi, 23; New Orleans, 24; Southport, 25; Block Island and Titusville, 26.

#### ACCUMULATED TEMPERATURES.

From January 1 to the end of the current month the average temperature for each geographical district was above or below the normal by an amount that is given in the last column of the following table. The accumulated monthly departures from normal temperatures, as given in the second column, may be used for comparison with the departures of current conditions of vegetation from the normal conditions.

		ulated tures.		Accumulated departures.				
Districts.	Total.	Aver- age.	Districts.	Total.	Aver- age.			
New England Middle Atlantic South Atlantic East Gulf Ohio Valley and Tennessee Lower Lake Upper Lake North Dakota (Ex. NW.) Upper Mississippi Missouri Valley Northern slope Middle slope Southern slope (Abilene)	-15.2 -7.0 -0.4 -14.8 -22.7 -27.4 -24.1 -24.7 -20.2 -4.1	0 + 1.27 + 0.8 0.06 + 2.5 2.7 2.7 2.7 2.7 2.5 0.5 1	Key West. West Gulf Southern plateau Middle plateau Northern plateau Northern Pacific Middle Pacific Southern Pacific	- 0.2 -16.7 -10.5 - 4.0 - 7.6	0 - 0.5 0.0 - 1.9 - 1.2 - 0.4 - 0.8 - 1.3			

## DIURNAL PERIODICITY.

The regular diurnal period in temperature is shown by the hourly means given in Table V for all stations having selfregisters.

## LIMITS OF FREEZING TEMPERATURE.

The region within which the air has had a freezing temperature at some time during the month is bounded by the minimum isotherm of 32°. During September minima of 32°, or less, were reported over the region north of a line kota and the eastern portion of North Dakota. This was a passing from central Minnesota to western Kansas, thence region of warm southerly winds south and east of and close northward to eastern Montana, thence southwest to eastern to the center of low pressure No. XIV, which was then in California, and northward to Alberta.

# PERIODS OF HIGH TEMPERATURE.

The map of maximum temperatures during September

shows that the principal periods were as follows:

(A) On the 1st the maximum temperatures of the month occurred in Louisiana, Tennessee, Wyoming, Minnesota, Wisconsin, Iowa, and northern Illinois, and on the 2d they occurred in Michigan, Indiana, and central Kentucky. By the Ohio and Lake Erie into Pennsylvania. It disappeared on on the Daily Weather Map by inclosing the areas within the 4th and 5th in northern New England.

(B) On the 6th and 7th the maximum temperatures of the month occurred in portions of Kansas and southward throughout central and eastern Texas. This area moved eastward and prevailed over Arkansas and Missouri on the 8th, southern Illinois on the 9th, and the entire Atlantic coast, fall of temperature occurred in an area of light westerly winds. from Florida to Connecticut, on the 10th. The maximum with clear sky, immediately following the low pressure of the temperatures on this latter date were from 94 to 96 through-preceding day. out this region and occurred during the prevalence of a region

of the regular Weather Bureau stations in Table I, which of southwest winds and clear sky blowing toward the low pressure that was then central in New Brunswick, while an area of high pressure, with colder northwest winds and light rain, was advancing eastward over the Appalachians.

(C) On the 10th the highest temperatures of the month occurred in Washington and Oregon; this area moved eastward over Montana on the 11th and Dakota on the 12th.

(D) On the 21st, 22d, and 23d the maximum temperatures of the month generally occurred in Arizona and California, and this period of high temperature extended eastward, pass-27th.

#### PERIODS OF LOW TEMPERATURE.

The minimum temperatures occurred principally in the following groups:

- (A) On the 8th in central Iowa, on the 11th in central Missouri, and on the 11th and 12th in New Mexico and western Texas.
- (B) On the 24th and 25th over the Lake region, Wisconsin, Illinois, Indiana, and Ohio. On the 26th this region had extended southward into eastern Texas, Louisiana, and throughout the entire series of States from the eastern Gulf to New England. This was in connection with the northeast winds that prevailed throughout this entire region and were flowing from the high pressures over the St. Lawrence Valley southward into the low pressure attending the hurricane that was then central in Florida.

## AREAS OF 20° RISE IN TWENTY-FOUR HOURS,

The daily weather charts show by heavy dotted lines the regions over which the temperature has risen 20° in the preceding twenty-four hours. The following list enumerates all of these areas and gives the dimensions of the principal axes in miles.

Such rapid rises occur less frequently in summer than in winter; they are largely due to the rapid descent and rapid warming by compression of layers of air that are, by reason of their dryness, rather denser than the surrounding air; they are also frequently due to the rapid descent of air flowing toward the regions of low pressure near the center of a

(A) On the 18th, at 8 a.m., a ridge 100 by 400 extending from the eastern border of North Dakota northward into Manitoba. This was a region of warm southerly winds blowing toward low No. X, which was at that time central in northern Alberta.

(B) On the 25th, at 8 p. m., 400 by 200 covering South Da-North Dakota. These warm winds were an outflow from the same area of high pressure that was at that time bringing the coldest temperatures of the month to the Atlantic and Gulf States.

# AREAS OF 20° FALL IN TWENTY-FOUR HOURS.

A fall of temperature of 20°, or more, in twenty-four hours is not called a cold wave by the Weather Bureau unless the temperature falls below 40°, and is, therefore, likely to cause a 3d this region of high temperature had moved eastward over frost injurious to vegetation, but all falls of 20° are indicated which they occur by heavy dotted lines, and the following list enumerates those regions for the month of September (the dimensions of the principal axes of the areas are stated in

(A) On the 4th, a. m., in North Dakota, 200 by 100. This

(B) On the 10th, p. m., two small areas, about 100 by 200.

in central Texas and in Missouri and Illinois. Both of these were at this time in the rear of an area of cloud and rain that had just moved southeastward in the presence of an advancing area of high pressure. 11th, a. m., a similar small area,

150 by 100, and similarly located, occurred in Ohio.

(C) 11th, p. m., 300 to 200 on the coasts of Oregon and Washington. This fall of temperature was largely due to a return to normal conditions after the period of unusually high temperature experienced on the 10th, and which latter was caused by the flow of warm southwest winds over Oregon and Washington toward the low pressure in British Columbia. On the 12th, at 8 p. m., a large area, 1,000 by 300, extended from Alberta to Nevada in the rear of low No. IX, which was then central in Montana. This extensive increase in size. during twenty-four hours, shows what a large mass of air was at that time flowing in the upper regions from the high pressure over the Pacific toward the low pressure that had just crossed the Rocky Mountains. 13th, a. m.. 500 by 300, in Idaho, Nevada, and Utah; 13th, p. m., 600 by 200, in eastern Wyoming, Montana, and Manitoba; the magnitude of this cold area is remarkable for this season of the year, and its eastward advance apparently caused the trough of low pressure that prevailed on the 13th to divide into two distinct areas of low pressure, of which the southern one soon filled up. 14th, a. m., 200 by 100, in eastern Wyoming; 14th, p. m., 100 by 100, Manitoba. 15th, a. m., 100 by 100, in eastern Texas and Nebraska. These last three small areas represented the breaking up of the original large region of low temperature.

(D) 16th, a. m., 200 by 200, Lake Huron.

(E) 22d, p. m., 300 by 100, eastern Wyoming and northern Colorado. This area represented the front of the advancing high pressure then central in British Columbia. 23d, a. m., 100 by 200, Colorado, Wyoming, and South Dakota; the area of 20° fall had moved a little southeastward while the ridge of high pressure had extended from British Columbia southeast to Missouri. 23d, p. m., 600 by 200, Colorado, Kansas,

Missouri, and Indian Territory.

(F) 27th, p. m., 600 by 200, North Dakota, South Dakota, Wyoming, Colorado, and Nebraska. This area was immediately north of the low pressure which was then central in northern Kansas. 29th, p. m., 600 by 300, Minnesota, Iowa, and Kansas; in some portions of this region the temperature fell about 40° in twenty-four hours; the colder area of the day before had moved 500 miles southeastward into a region where warm southerly winds had been prevailing. 30th, a. m., 900 by 200, from Wisconsin to Indian Territory. 30th, p. m., 300 by 200, Lake Superior.

## FROSTS.

The principal frosts that have occurred during the menth were as follows: 3d. Eastport, Me.; 4th, Cross, S. Dak.; 8th, Bowdle, S. Dak.; 11th, Northville, S. Dak., and Crandon, Wis.; 13th, Edmanton, Cal., Reno, and Lewers Ranch, Nev.; 14th, Single Tree, Utah; 16th, East Tawas, Mich.; 17th, numerous places in South Dakota and Wyoming; 18th, Iowa and Wisconsin; 23d, Pullman, Wash., and several stations in South Dakota and Nebraska; 24th, Illinois and Nebraska; 25th, Michigan and Ohio; 26th, New York, Pennsylvania, and New Hampshire. All the frosts just enumerated were sufficient to kill tender vegetation.

Tables showing the average date of last killing frosts will be found in the Monthly Weather Review for February, 1888, and tables of the first killing frost in the Review for July, 1888. From these it appears that the frosts of the current month occurred at about the usual date in Dakota, Iowa, Wisconsin, New York, Pennsylvania, and New Hampshire, but rather early in Michigan, Nebraska, Illinois, and Maine.

The following table shows the dates of the occurrence of

the first light and heavy frosts and the first snow of the season at the respective stations:

Dates of first light and heavy frosts and snow, September, 1894.

Akron		First i	rost.			First	frost.	
Newburg.   25	itate and station.	Light.	Heavy.	Snow.	State and station.	Light.	Heavy.	Snow.
Seventing	Alabama.	İ		, ;	Illinois-Cont'd.			
Calabasas	burg	26	• • • • • •	•••••	Decatur			
Semant Canyon   9   28   Martinaville   25   18   18   18   18   18   18   18   1	basas			ļ	Herrins Prairie	25		
Lochiel   29	le Pass ms Canvon		28		Martinsville			• • • • •
Clarksville	hiel				Mattoon	24		
Corning.   26			9		Mount Pulaski			
Receive   Ferry   26			••••	•••••	∃ Olney a			
Attnamton	sees Ferry				Palestine			
Edmant	California.		28					
Independence.	nanton		13		Philo	24	25	
Lick Observatory   30   2   Truscola   25   Colorado   13   Warsaw   11   12   Truscola   25   Colorado   12   Warsaw   11   12   San Jose   13   Warsaw   12   25   San Jose   13   Warsaw   12   25   San Jose   13   San Jose   14   28   Butterville   25   San Jose   25   Susanville   26   Colorado   26   Colorado   27   Colorado   28   Butterville   25   Colorado   29   30   Connorsville   25   Colorado   20   30   Connorsville   25   Colorado   25   Colorado   26   Connorsville   25   Colorado   27   Crawfortsville   25   Colorado   28   Colorado   29   25   Crawfortsville   20   25   Colorado   20   20   Crawfortsville   25   Colorado   20   20   Crawfortsville   25   Colorado   20   20   Crawfortsville   25   Colorado   26   Crawfortsville   25   Colorado   27   Crawfortsville   25   Colorado   27   Crawfortsville   25   Colorado   28   Crawfortsville   25   Colorado   28   Colorado   29   Crawfortsville   25   Colorado   29   Crawfortsville   25   Colorado   29   Crawfortsville   25   Colorado   25   Colorado   26   Colorado   27   Crawfortsville   25   Colorado   25   Colorado   27   Crawfortsville   25   Colorado   27   Crawfortsville   27   Crawfo	envilleenendence	13	13		Rushville	25		
Oleta	Porte	1			Springfield (near)	25		
District   1	ada City				Tuscola	25		
Pleasanton   12	ia				Warsaw		25	•••••
Simmerdale   12   30	asanton	12			Zion			
Susanville	Jose	13		30		. 25		
Akron	anville	·····			Bedford	. 25		
Alina	Colorado.	14	25	;	Columb <b>us</b>	25		
Box Elder	on	20			Connorsville			
Colibram	: Elder		15		Degonia Springs	26		
Delta   Divide Exper   Station   14	yon Bran	24	27			·'		
Downing	to.	1	11		Indianapolis	. 25		
Dumont	7nme				Lafayette		- 24	
Garnet	mont	9			Madison	. 25		
Gold Hill	nett		14		Marion	. 11	25	`
Hugo (near)	n Evrie		24				25	· · · · ·
Juleslurg	go ( near )	. 14			New Albany	. 25		
Layender	esturg	. 15						
Leslie   23   Vevay   25	.lara	. 8	15	• • • • •	Rockville	•j rř		-
Loveland   9	Ruy				Terre Haute	. 26		
Moraine	lie				Vevay	25		
Parachute	raine			. 28	Iowa,	1 -	1	1
Pueble	achute				1: Albia	118		1
Red Cliff	ablo.	TE			Algona			
Saguache   5   6   Sandune   11	l Cliff				Amana			
Saguache   5   6   Sandune   11	eky Ford	- 24			Ames c	• • • • • • • • • • • • • • • • • • • •		
San Luis	macne	.i 5	10	·	Atlantic		. 11	
Seibert	duan Luis				Belle Plaine	. 11		
Stamboat Springs	hert	. 11	ļ		Cedar Rapids	• j 11	:	
Sunnyside	mford		. 11		Clarinda	. 11	:	
Surface Creek					College Springs			
T. S. Ranch	face Creek		. 11		Corning	. II		
Connecticut.   Delaware	S, Ranch	. 14	15		Davenport	. 24		
Canton	in Lakes	• • • • • •	• • • • • • • • • • • • • • • • • • • •	7	Decorah	10		
Hartford	aton	. 13			Des Moines	. 18	3	
Middletown   26					Emmets urg	II		
South ington	ddletown	. 26			Fort Madison	24		
Stores	uthington	. 26	ļ	· •   • • • • •	Glenwood	11		
Thompson					Grand Meadow	. 18		
Georgia	ompson	. 26			Hampton	1	1 24	·
Idaho		12	20	!	Humboldt	11		
Atlanta	airsville	. 21		•• •••••	Independence	13		
Grangeville	lanta		.		Iowa City	1	24	<u> </u>
Idahō Falts	211							
Albion 25 Ogden 11 Aurora 25 Osage 11 18 Bloomington 23 Osceola 11 Bushnell 24 Oskaloosa 11 Carlinville 26 Ottumwa 11	tho Falls	• • • • • • • • • • • • • • • • • • • •	· j 10		Keokuk	24	ı	
Albion 25 Ogden 11 Aurora 25 Osage 11 18 Bloomington 23 Osceola 11 Bushnell 24 Oskaloosa 11 Carlinville 26 Ottumwa 11	ırray		. 27	,	Maxon	1;		
Albion 25 Ogden 11 Aurora 25 Osage 11 18 Bloomington 23 Osceola 11 Bushnell 24 Oskaloosa 11 Carlinville 26 Ottumwa 11	ris			13	Mechanicsville	I	t	
7, Aurora.       25       Osage.       11       18         Bloomington.       23       Osceola.       11         9 Bushnell.       24       Oskaloosa.       11         Carlinville.       26       Ottumwa.       11	Titinois.		•		Newton		S	
Carlinville		25			Osage	. I		
Carlinville	oomington	. 23			Osceola	г	ı	
	elineilla	. 29			Ottumwa	1	ı	
f Chemung	emungicago		2	5	Panama	I		

	First	frost.			First	frost.			First	frost.			First	frost.	
State and station,	Light.	Heavy.	Snow.	State and station.	Light.	Heavy.	Snow.	State and station.	Light.	Heavy.	Snow.	State and station.	Light.	Неату.	Show
Iowa—Cont'd.				Massachusetts.				Minnesota—Cont'd.			!	Nebraska—Cont'd.			
ichland	11	<u></u>		Adams			•••••	Two Harbors				Palmer	30		
ockwell City ock Rapids				Amherst Exp. Station				Wabasha Willmar		10	:	Santee Agency			
e Cityi	11		i	Bedford	13	26		Winona	11 :		·	Seward			ļ
ymour	18	· · · · · · · ·		Blue Hill (summit) East Templeton	26	26		Worthington	9	24	¦·····	Springview			
oux City				Groton		26		Bethany	18 !			Sutton	15	30	٠
irit Lake	11			Leeds			•••••	Carrollton Downing				Table Rock Tecumseh			
therlandledo	10 18			Leominster	26			Eight Mile		30		Tekamah		30	
llisca	II		i	Monson			••••	Elmira	18	•••••	•••••	Turlington	11		
nton	ii Ii			Pittsfield Randolph			· · · · · ·	Fairport   Gallatın				Valentine	. 11	23	
shater City	II	18		Salisbury	27			Gayoso	26			Wilcox	II		ļ.,
lliams	II			South Dennis	14 13			Grove Dale	25			York	· · · · · · · ·	29	·
ntersetlton	11 24	;	! '	Winchendon				Kansas City	18		I	Austin		ļ. <b></b> .	
Kansas.			i i	Winthrop				Kidder	18		;·····	Belleville	.'	٠	·¦
ilene	30	:		Worcester	20			Liberty	30			Carson City	. 8	13	i
hilles	•••••			Adrian				Mexico	16		ا ا	Carson City			·
ison		,		Allegan	25			Miami				Ely Empire Ranch			1
ine	IO	29		Alma		12	· · · · · ·	New Hartford	23			Gold Hill			
rlington feyville				Ann Arbor	۱	25		Oak Ridge	20			Lewers Ranch		13	
ncordia	II		i	ArbelaBall Mountain				Oregon				Mariette Lake			1
nningham	30		•••••	Berlin	25			Pickering	11	18		Palmetto			
dge Citywns	30	30		Boon	12		· • • • •	Platte River	11		•••••	Ruby Valley	•		4
k City	30			Bronson		25 25		Princeton				Tybo			1
nporia	30 20			Grand Haven	25			Sarcoxie Springfield	18			Vivainio City		!	·i
glewoodreka Ranch	15			Grape	25 24	26		Springfield				Winnemucea New Hampshire.	• 7	. 13	••
rt Riley				Harbor Springs				Subjett	11			Alstead	·!	26	
rden City	30			Hart	IQ		•••••	Tindall		• • • • • •		Antrim	• ; • • • • • •	25 26	
enola	30		1	Howell	25	25		Montana,	1 11		••••	Berlin Mills Bethlehem		26 26	
Istead	•••••	30		Kalamazoo	20			Anaconda			27	Brookline	• ! • • • • • •	26	
ys Citytchinson	11			Lansing Lathrop		25		Billings Boulder	2	28		Concord East Canterbury	• • • • • • • • • • • • • • • • • • • •	26 26	
ia	11			Lewiston		24		Bozeman	4	ļ		Grafton	• • • • • • •	12	
ua hnson	23 30			Madison	25	26		ButteColumbia Falls	13	29	12	Hanover			
оwа	30			Marquette		18		Fort Logan	6	10	тз	Lancaster Littleton			
kin			••••	Mottville	25		١	Glendive	17	23	,	Plymouth	• • • • • • •	26	١.,
booti	30 10			Ovid	25			Great Falls		15		Sanbornton		26 26	
cksville	30			Parkville Port Huron	25 25			Helena	'	24	13	New Jersey.		20	1
nhattan	11			Rawsonville		25		Hogan			. 22	Belvidere		ļ,	
dicine Lodge				Rockland			•••••	Kipp		7 13	12	Charlotteburg	25	26	
rland		. 11		Sand Beach				Miles City	20			Dover Franklin Furnace	. 26		. ::
ount Hopess City	15 11			Sault Ste. Marie	12		••••	Mingusville	9	16		Junction Lambertville	. 26		·¦••
w England Ranch	14			Thornville		25		Pony			I 3	Millville	·; 25		
athe	17			Minnesota.		-3		Virginia City	.!	:	. 12	Millville New Brunswick	. 26		
inter	20			Airlie			٠	White Sulphur Springs Nebraska.		23	13	Newton	1	26	
me	30			AlexandriaBeardslev	4	17	30	Agee	10	29		Toms River	- 25		
ysseskefleld	1 11			Bird Island	10	16	••••	Ansley	11			West Summit			
mego	11			Blooming Prairie				Ashland		14		New Mexico.	. 15	!	
shington				Camden	11	24	• • • • •	Beatrice		29		Bloomfield	- 14	15	
estmoreland chita	3 30			Campbell				Beaver City				Ciruella East Las Vegas			
nfield	30			Clear Lake	, i 11			Chadron		. 10		Halls Peak	. 8	11	٠.
Kentucky.	١.		:	Clearwater		. 17	••••	Columbus	11	30		Monero		II	١.,
wling Green	20 11			Dawson				Chester				Olio	.! 15	i 29	<u>'   : :</u>
ido nton	26			Farmington	- 4	11		Cortland	30			Santa Fe	. 11		• •
rollton	25	·		Fergus Falls		. 11		Creighton			• • • • • •	Socorro		12	.i.,
dyville eendale				Hutchinson				Pavid City		30		Sulphur Hot Springs		. 11	
ensburg	26			Jadis		. 11		Ericson		: 11	• • • • •	Taos	•;••••		
rrodsburg	25			Leech Lake	******	. 17 25	29	Ewing	11			Addison		. 36	١.
nderson nisville ( near )	25 25			Luverne		.: 11		Franklin	. 30			Albany	- 26		٠.
rrowbone	26			Maple Plain	.'	. 11		Geneva	. 10		• • • • • • • • • • • • • • • • • • • •	Alfred Center		. 26	٠.
llville				Marfield   Mazeppa			29	Gering				Arcade		26	
dy Hook Byville				Milan	. 11		29	Glenwood	10		• • • • • •	Baldwinsville	.: 25	١	
Maine.			:	Minneapolis				Gothenburg	11			Bedford Binghamton	26		
fast nish	*****	. 26 . 26		Minnesota City   Montevideo					30			Brookfield	. 12		
ston	3	S		Moorhead		. 11		Hay Springs	10	: 24	28	Buffalo		. 26	۶  ،
stport	27		• • • • • •	Morris				Hebron		30		Cooperstown			;  :
rmington rdiner				Park Rapids	. 10	, 11		Indianola	- 29			Fleming	- 26	ļ	٠١.
ulton		. 3		Pine River	. 10	18	•••••	Kennedy	. IO	30		Friendship		. 26	۶.
wiston	12	26	• • • • •	Red Lake Rolling Green				Lexington Lodge Pole			•	Gloversville	. 13	26	;  .
yfield rth Bridgton	12 26			Rush City		. 11		Lyneh	. II	30		Hamilton		·i 25	ş  .
ono	3			St. Charles		. 18		Madrid	20	15		Hess Road Station Humphrey			
Maryland.	İ	1	1	" St. Cloud   St. Olaf				Marquette	. 30 . 30			Hyndsville	. 12	. 26	
chmans Valley etrcherville	25 26			St. Paul	. 11			Mullen	. 29			P Ithaca		. of	5 ļ.
mberland	26			St. Peter		., 11		Norfolk	. 11			Lebanon Springs Le Roy	. 12	26	5  . 5  .
		26		St. Vincent		.i II		North Loup				II we well interested to the		. 20	11
kland incess Anne	24 8			Sandy Lake Dam	. 11	. 17		North Platte	. 10	2.1		Lockport	26		۱.

Dates of first	light	and	neavy	frosts and snow—Con	tinued	l <b>.</b>		Dates of firs	t ligh	t and	heavy	frosts and snow—Con	tinued	i. 	
	First	frost.			First	frost.			First	frost.		: !	First	frost.	
State and station.	Light.	Heavy.	Snow.	State and station.	Light.	Heavy.	Snow.	State and station.	Light.	Неату.	Snow.	State and station.	Light.	Невчу.	
New York-Cont'd.				Ohio-Cont'd.		1		Pennsylvania—Cont'd.	Ì.	1		Virginia.		!	T
ount Morris		26 26		Hackney	26	25		Kane Lebanon	26 12	••••		Hot Springs	25 26		
orth Hammond	26			Hillhouse	26			Le Roy		26		Washington.	ļ		1
mber Fourdensburg	12	26 26	26	Hillsboro Hiram	25 26			Lewisburg   Lock Haven				Blaine	13 <b>°</b> 24		
wego	26			Jacksonboro	24			Phœnixville	26			Davenport	27		
rry City		26 26		KentonKilbourne		22 25		Pittsburg Quakertown	25 20			Dayton Ellensburg	11	23	
anac Lake				Killbuck	25			Saegerstown		26		Everett	19	22	
th Canisteo th Kortright	I2	26 26		Levering Logan		26		Salem Corners Selins Grove				Hunters Moxee Valley	16	3	İ
llwater	26			Lordstown		26		Shinglehouse				Pomeroy	23	27	
rin	•••••	26 26		Lowell		26		Smethport				Port Angeles Port Crescent			٠ŀ٠
rysburg appingers Falls	26			Milligan		1		State College	26			Pullman		23	1:
tertown	26			Napoleon Nelsonville	25		••••	Uniontown	25			PyshtRosalia			٠i,
edgwood	•••••	20		New Bremen		25	•••••	Wellsboro Wilkesbarre	1			Silver Creek	23	22	ŀ
iley				New Comerstown New Holland			•••••	York				Snohomish	24		٠¦٠
owing Rock	21			New Paris		25 25		Rhode Island.			[	Spokane	23		i.
rlin	11			North Fairfield		25		Narragansett Pier	22		•••••	Waterville		17	i.
narck ttineau	10 4	17		North Lewisburg Norwalk	25 26			South Dakota.		17		Wenatchee Lake  West Virginia.	14	23	ŀ
urchs Ferry			29	Ohio State University			•••••	Armour	18	30		Beverly	25		
endale	• • • • • • • • • • • • • • • • • • •	10	28	Pataskala Plattsburg	25	25		Bowdle			29	Bloomery	26	25	÷
rt Berthold		16		Pomeroy	25	ļ <u>.</u>		Castlewood	13	17	29	Burlington	26		⋰.
rt Yates				Portsmouth		26		Clark		30	28	Central Station		25	٠.
mestown	10			Ripley	25	•		Faulkton	10	17		Davis		25	1
lso	4			Rittman		26		Flandreau		11		Ella			١,
kota	 17	15 24	29	Rosewood				Fort Meade		17 24		Grafton		'	
Kinney		17		, Sandusky				Fort Sully		30		Leachtown	25		١.
poleon		17		Sharon Center		25		FrankfortGary		17	29	Morgantown New Martinsville			'n
tal		10		Swanton		25		Greenwood	,	30		Parkersburg	. 25		٠ŀ
wer	11	.16	29	Sylvania Tiffin		25		Highmore Hotch City		29 19		Point Pleasant			
iversity	11	17		Toledo	25			Howard		17		Sandyville	25		
hpetonhite Earth		7 30	23	Upper Sandusky Vanceburg				Huron		17 28		Spencer	25		
ld Rice		11		Van Wert	. 25			Northville				Weston	25	26	
lliston	•••••	10	29	Vermillion				Oelrichs		24		Wheeling	25		•
_			-9	Walnut	. 25			Parkston	14	30		Amherst	12	25	
Ohio.	26			Warren Warsaw		20		Piedmont   Pierre		10 30		AntigoBaraboo		24	
hland	25			Wauseon		25		Plankinton		23		Barron		25 11	
vater	28	¦		Waverly Waynesville			1	Rapid City	10	30	[	Belleville Beloit		25	
burn ngorville	26 24			Weilington		26		Sioux Falls				Crandon			•
avia	24			Westerville	25	j	• • • • •	Webster		11	29	Delevan	24		•!
llefontaine ment	20	26		Wheeler	. 26 . 26			Wessington Springs Tennessee.		30	•••••	Depere	18	25	
nton Ridge		25		Oklahoma.	ľ	ł	ļ.	Nunnelly				Green Bay	. 18	25	1
thany	25 26			Pond Creek	- 30		• • • • •	Texas.		26		Hartford	24	24 25	1
sels	26			Baker City			• • • • • • • • • • • • • • • • • • • •	Utah.	1	1		Hayward		11	
densburg	25 25			Crook		13		Cisco		28	13	Hillsboro	23	12 24	
wling Green	25			Hubbard	. 13			Grouse Creek		12	13	La Crosse	24		
eyrusedonia	24 25			Joseph			12 2	Heber		14		Lancaster	24		
abrid <b>ge</b>	25 26			Pendleton	. 23			Levan	. 13	14		Menomonie	. 11	18	
tondington	26 12			The Dalles		28	•••••	Losee		7		Milwaukee New Holstein		25	1
larville	26			Williams		27		Manti	. 23			Oconomowoc	25	25	
erry Fork	25			Pennsylvania.	1			Moah	14	15		Osceola Pepin	.	17	1
rksville	25 25			Aqueduct	. 26		1	Ogden		3	13	Reedsburg		25	
lton	25			Blooming Grove	· 25	26		Parowan	. 13	14		Royalton	.: 11	25	
umbusthiana	23 25			Cassandra		25		Salt Lake City		29		SharonShawano	13	24 25	
ton b	25			Coatesville	. 25			Singletree		14	7	Viroqua		24	. '
iancepont		25 24		Coopersburg	. 12	26		Snowville	27	13 30		Waukesha Westfield	12	18	•
sworth	26			Dyberry		26		Thistle	-			veston. Wh hall		18	
/ria dlav				East Mauch Chunk				Burlington		26 26		Wh hall		24	
storia	25 25			Emporium		26		Hartland		26		Big Horn Ranch		4	
ankfort rrettsville	25			Grampian	. 12 . 25			Jacksonville Norwich	25	26 26		Chevenne Fort Yellowstone	. IO	17	
atiot	25			Greenville	. 26			St. Johnsbury		26		La Barge			
eenfield	23			Harrisburg Hollidaysburg	. 26			Simonsville	. 12	26		Lander		4	.
een Hill eenville	25 25			Honesdale		26		Wells Woodstock		26 26	••••	LaramieLusk		17	
tysville				Huntingdon		1	1	Woodstook	1 72	26		Sheridan	1	14	